



1200
x 1800 mm

MASTER COLLECTION



Admin Office

Eden Ceramic City, Lalpar, Morbi

Manufacturing Unit :

Morbi-Halvad Road, Unchi Mandal, Morbi
Jetpar Pipli Road, Sapar, Morbi

E-mail : info@hometiles.in

Web : www.hometiles.in



What Is Porcelain 15mm ?

Our 15MM Technical Porcelain Slabs are engineered as a high-performance alternative to natural marble combining refined aesthetics with superior strength and durability. Available in both Polished and Matt finishes, these slabs are kiln-fired at 1400–1500°C to achieve exceptional density, minimal water absorption, and enhanced load-bearing capacity.

Designed for large-scale architectural applications, the 15MM thickness ensures structural reliability, dimensional stability, and long-term performance in high-traffic environments.

With multiple random faces for natural visual continuity and no requirement for periodic re-polishing, it offers the elegance of marble with significantly lower maintenance and greater lifecycle efficiency.

Beyond Marble. Beyond Ordinary.



DESIGN
THAT LEAVES AN IMPACT



**1200
x 1800 mm** | **15 mm
Thickness**



Chivalrous surfaces, adorning interiors & exteriors alike.

15mm

Tile Laying Possibilities




Laying on screed with Adhesives

Lay these surfaces on a bed of screed with adhesives for areas like living spaces, bedrooms, courtyard, and outdoor and indoor areas.



Laying on a raised Floor

Tile the uneven areas and terrains and transform them by laying these glossy & rustic tiles on raised floors, pedestals, frames, and more. Create room for a heating system, insulation, additional raised area, and more with the extensive laying possibilities of this collection.



Laying on Gravel

The robust and resilient collection is ideal for laying directly on gravel in your outdoors with or without adhesive. Create a stepping stone path, patio, and more by just laying the thick tiles on the gravel in your outdoors.



Dry Laying on the Grass

Dry-laying these surfaces on the grass of your garden and other areas both indoors and outdoors can create a magnificent pathway in your indoor garden and more.



Multiple Surface Application

These surfaces are crafted for multiple applications. You can apply them in your living space, making a magnificent backdrop for your television set-up or just throughout your space, creating a uniform aesthetic with vibrant hues.

 Residence	 Shops	 Offices	 Airports
 Hotels	 Public Places	 Malls	

Amassed with Features

Explore your design options with surfaces packed with highly practical features like easy-to-clean and heat—and chemical-resistant properties. These surfaces also provide a perfect grip for confident day-to-day chores. This is a perfect choice that is also safe.



 Easy to Maintain	 Resistant to ACIDS	 Resistant to Chemicals	 Fire Resistant
 UV Resistant	 Prevents Bacterial Growth	 Heat Resistant	



Calacatta Averio

1200x1800mm

Body Type_White

Surface_Glossy & Velvet Touch

→← 15mm_thickness

Random Faces - 4





Calacatta Averio

Size_1200x1800mm | Body Type_White | Surface_Glossy & Velvet Touch



**Calacatta
Gold**

1200x1800mm

Body Type_White
Surface_Glossy

→|← 15mm_thickness

Random Faces - 4





Calacatta Gold

Size_1200x1800mm | Body Type_White | Surface_Glossy



Calacatta Jewel

1200x1800mm

Body Type_White

Surface_Glossy

→← 15mm_thickness


Random Faces - 4





Calacatta Jewel

Size_1200x1800mm | Body Type_White | Surface_Glossy



Calacatta Alex

1200x1800mm

Body Type_White

Surface_Glossy

→← 15mm_thickness

Random Faces - 4





Calacatta Alex

Size_1200x1800mm | Body Type_White | Surface_Glossy



Endless Calacatta Belgia

1200x1800mm

Body Type_White

Surface_Glossy

→← 15mm_thickness

Endless Faces - 4





Endless Calacatta Belgia

Size_1200x1800mm | Body Type_White | Surface_Glossy



Statuario Oracle

1200x1800mm

Body Type_White

Surface_Glossy

→← 15mm_thickness


Random Faces - 4





Statuario Oracle

Size_1200x1800mm | Body Type_White | Surface_Glossy



Statuario Berlin

1200x1800mm

Body Type_White

Surface_Glossy

→|← 15mm_thickness



Random Faces - 4





Statuario Berlin

Size_1200x1800mm | Body Type_White | Surface_Glossy



Endless Dover Bianco

1200x1800mm

Body Type_White
Surface_Glossy& Velvet Touch

→← 15mm_thickness


Endless Faces - 4





Endless Dover Bianco

Size_1200x1800mm | Body Type_White | Surface_Glossy & Velvet Touch



Endless Prisma White

1200x1800mm

Body Type_White
Surface_Glossy & Velvet Touch

→← 15mm_thickness


Endless Faces - 4





Endless Prisma White

Size_1200x1800mm | Body Type_White | Surface_Glossy & Velvet Touch



Avira Bianco

1200x1800mm

Body Type_White

Surface_Glossy

→← 15mm_thickness


Random Faces - 4





Avira Bianco

Size_1200x1800mm | Body Type_White | Surface_Glossy



Cevino White

1200x1800mm

Body Type_White

Surface_Glossy

→|← 15mm_thickness


Random Faces - 4





Cevino White

Size_1200x1800mm | Body Type_White | Surface_Glossy



Ocean Ice

1200x1800mm

Body Type_White

Surface_Glossy

→|← 15mm_thickness



Random Faces - 3





Ocean Ice

Size_1200x1800mm | Body Type_White | Surface_Glossy



Plain
White

1200x1800mm

Body Type_White
Surface_Glossy

→|← 15mm_thickness





Plain White

Size_1200x1800mm | Body Type_White | Surface_Glossy



Endless Aneto White

1200x1800mm

Body Type_White

Surface_Glossy

→← 15mm_thickness


Random Faces - 4





Endless Aneto White

Size_1200x1800mm | Body Type_White | Surface_Glossy



Endless Carrara Gold

1200x1800mm

Body Type_White

Surface_Glossy

→← 15mm_thickness

Endless Faces - 3





Endless Carrara Gold

Size_1200x1800mm | Body Type_White | Surface_Glossy



Endless Crystal Onxy

1200x1800mm

Body Type_White
Surface_Glossy & Velvet Touch

→← 15mm_thickness


Endless Faces - 3





Endless Crystal Onxy

Size_1200x1800mm | Body Type_White | Surface_Glossy & Velvet Touch



Endless Crystal Onxy Aqua

1200x1800mm

Body Type_White
Surface_Glossy

→← 15mm_thickness


Endless Faces - 3





Endless Crystal Onxy Aqua

Size_1200x1800mm | Body Type_White | Surface_Glossy



Endless Flex Gold

1200x1800mm

Body Type_White
Surface_Glossy & Velvet Touch
→← 15mm_thickness

Endless Faces - 4





Endless Flex Gold

Size_1200x1800mm | Body Type_White | Surface_Glossy & Velvet Touch



Onyx Misty

1200x1800mm

Body Type_White

Surface_Glossy & Velvet Touch

→← 15mm_thickness

Random Faces - 4





Onyx Misty

Size_1200x1800mm | Body Type_White | Surface_Glossy & Velvet Touch



Endless Pacific White


1200x1800mm

Body Type_White

Surface_Glossy

→← 15mm_thickness


Random Faces - 4





Endless Pacific White

Size_1200x1800mm | Body_Type_White | Surface_Glossy



Endless
Dover Crema


1200x1800mm

Body Type_Ivory
Surface_Glossy & Velvet Touch

→← 15mm_thickness


Endless Faces - 4





Endless Dover Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy & Velvet Touch



Avira Beige

1200x1800mm

Body Type **Ivory**

Surface **Glossy**

→|← **15mm**_thickness


Random Faces - **4**





Avira Beige

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



Endless Aviona Crema

1200x1800mm

Body Type_Ivory

Surface_Glossy

→← 15mm_thickness


Endless Faces - 3





Endless Aviona Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



Endless Dazzle Crema

1200x1800mm

Body Type_Ivory

Surface_Glossy

→← 15mm_thickness


Endless Faces - 4





Endless Dazzle Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



**Cevino
Crema**

1200x1800mm

Body Type_Ivory

Surface_Glossy

→|← 15mm_thickness

Random Faces - 4





Cevino Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



**Endless
Breccia Aurora**

1200x1800mm

Body Type_Ivory
Surface_Glossy

→← 15mm_thickness


Endless Faces - 4





Endless Breccia Aurora

Size_1200x1800mm | Body_Type_Ivory | Surface_Glossy



Endless Orion Beige

1200x1800mm

Body Type **Ivory**
Surface **Glossy**

→← **15mm**_thickness

Endless Faces - **4**





Endless Orion Beige

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



Endless Dyno Crema

1200x1800mm

Body Type_Ivory

Surface_Glossy

→← 15mm_thickness

Endless Faces - 4





Endless Dyno Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



Endless Luminus Crema

1200x1800mm

Body Type_Ivory

Surface_Glossy

→← 15mm_thickness


Random Faces - 4





Endless Luminus Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



Endless Helga Crema

1200x1800mm

Body Type_Ivory
Surface_Glossy & Velvet Touch

→← 15mm_thickness


Endless Faces - 3





Endless Helga Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy & Velvet Touch



Endless Nordic Beige

1200x1800mm

Body Type_Ivory

Surface_Glossy

→|← 15mm_thickness


Endless aces





Endless Nordic Beige

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



Endless Polaris Crema

1200x1800mm

Body Type_Ivory

Surface_Glossy

→← 15mm_thickness


Endless Faces - 3





Endless Polaris Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



Endless Nicole Beige

1200x1800mm

Body Type_Ivory

Surface_Glossy & Velvet Touch

→← 15mm_thickness


Endless Faces - 4





Endless Nicole Beige

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy & Velvet Touch



Endless Epress Natural

1200x1800mm

Body Type_Ivory

Surface_Glossy

→← 15mm_thickness

Endless Faces - 4





Endless Epross Natural

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



Endless Cronos Bianco

1200x1800mm

Body Type_Ivory
Surface_Glossy & Velvet Touch

→← 15mm_thickness


Endless Faces - 4





Endless Cronos Bianco

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy & Velvet Touch



Onyx Moss

1200x1800mm

Body Type_Ivory
Surface_Glossy

→< 15mm_thickness

Random Faces - 4






Onyx Moss

Size_1200x1800mm | Body Type_Ivory | Surface_Glossy



**Carving
Surface**



Ravishing Carving Surfaces

Create a retro environment with surfaces with a carving surface in a matt finish, getting you the perfect combination of vintage and virtuous aesthetic, giving your adobe a worthy style.



1001
Calacatta
Averio

1200x1800mm

Body Type_White

Surface_Carving

→< 15mm_thickness

Random Faces - 4





1001 Calacatta Averio

Size_1200x1800mm | Body Type_White | Surface_Carving



1001
Statuario
Berlin

1200x1800mm


Body Type_White

Surface_Carving

→< 15mm_thickness

Random Faces - 4





1001 Statuario Berlin

Size_1200x1800mm | Body Type_White | Surface_Carving



1001
Calacatta
Gold

1200x1800mm

Body Type_White
Surface_Carving

→← 15mm_thickness


Random Faces - 4





1001 Calacatta Gold

Size_1200x1800mm | Body Type_White | Surface_Carving



1001
Endless
Prisma White

1200x1800mm

Body Type_White

Surface_Carving

→← 15mm_thickness


Endless Faces - 4





1001 Endless Prisma White

Size_1200x1800mm | Body Type_White | Surface_Carving



1001
Endless
Orion Beige

1200x1800mm

Body Type_Ivory
Surface_Carving

→← 15mm_thickness


Endless Faces - 4





1001 Endless Orion Beige

Size_1200x1800mm | Body Type_Ivory | Surface_Carving



1001
Endless
Polaris Crema

1200x1800mm

Body Type_Ivory
Surface_Carving

→← 15mm_thickness


Endless Faces - 3





1001 Endless Polaris Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Carving



1001
Endless
Nordic Beige

1200x1800mm

Body Type_Ivory

Surface_Carving

→← 15mm_thickness

Endless Faces - 4





1001 Endless Nordic Beige

Size_1200x1800mm | Body Type_Ivory | Surface_Carving



1001
Endless
Dazzle Crema

1200x1800mm

Body Type_Ivory

Surface_Carving

→← 15mm_thickness


Endless Faces - 4





1001 Endless Dazzle Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Carving



1001
Endless
Nicole Beige

1200x1800mm

Body Type_Ivory

Surface_Carving

→← 15mm_thickness

Endless Faces - 4





1001 Endless Nicole Beige

Size_1200x1800mm | Body Type_Ivory | Surface_Carving



1001
Endless
Flex Gold

1200x1800mm

Body Type_Ivory

Surface_Carving

→← 15mm_thickness

Endless Faces - 4





1001 Endless Flex Gold
Size_1200x1800mm | Body Type_Ivory | Surface_Carving



1001
Endless
Luminus Crema

1200x1800mm

Body Type_ivory
Surface_Carving

→← 15mm_thickness

Random Faces - 4





1001 Endless Luminus Crema

Size_1200x1800mm | Body Type_Ivory | Surface_Carving



Endless Breccia Rock

1200x1800mm

Body Type_Ivory

Surface_High Gloss

→← 15mm_thickness

Endless Faces - 4





Endless Breccia Rock

Size_1200x1800mm | Body Type_Ivory | Surface_High Gloss

Technical Specification


CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF PGVT	MEAN VALUE OF GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.15 %	±0.15 %	ISO-10545-2
Rectangularity	±0.6 %	±0.2 %	±0.2 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	Slight variation is possible due to different batches as per signed samples	Slight variation is possible due to different batches as per signed samples	ISO-10545-16
Glossiness	As per mfg	Sharp	Sharp	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.5 %	< 0.5 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.28 gm/mm ²	> 2.28 gm/mm ²	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 35 N/mm ²	Min. 35 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 4000 N	Min. 4000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	0.1 (mm/3)	0.1 (mm/3)	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 7 Cycle	Min. 7 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

Size	Thickness (approx.)	Pieces / Box	Area / Box	Wt./Box (approx.)
1200x1800mm	15mm	1 pcs.	2.16 sq. mtr.	75 kgs.


MANUALLY TRANSPORTING SLAB

Only for 1/4" Slabs

MOVING A SLAB




RAISING A IMMEDIATE SLAB ONTO A BENCH



✗ INCORRECT

✓ CORRECT

HANDLING IMMEDIATE SLAB FOR WALL



✗ INCORRECT

✓ CORRECT

TECHNICAL SPECIFICATION

Characteristic	Standard (ISO-13006/EN14411 Group Bla)	HOMETILES Value PGVT	Test Method
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 4.0%	ISO-10545-2
Straightness in sides	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.6%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	ISO-10545-2
Color difference	Unaltered	Slight variation is possible due to different batches	ISO-10545-16
Glossiness	As per mfg	Sharp	Glossometer
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.28 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	> 35 N/mm ²	> 35 N/mm ²	ISO-10545-4
Breaking strength	> 1300 N	> 4000 N	ISO-10545-4
Impact resistance (COR)	As per mfg	> 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
Surface scratch hardness (Mohs)	As per mfg	4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	Pass	ISO-10545-12
Thermal shock resistance	No damage	Pass	ISO-10545-9
Moisture expansion	Nil	0.01 mm/3	ISO-10545-10
Thermal expansion (COE)	Max 9.0×10 ⁻⁶	Max 6.5×10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	No damage	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance (COF)	As per mfg	> 0.40 dry, <0.40 wet	ISO-10545-17
Reaction to fire	As per mfg	Fireproof	N.A.

PACKING DETAILS

SIZES	1200x1800
THICKNESS (mm)	15
PCS /BOX	1
SQM /BOX	2.16
BOXES/ PALLET	24 box (12 pallet)
	18 box (4 pallet)
PALLET/ FCL	16
TOTAL BOXES	360
TOTAL SQMT	777.6
FCL SIZE	20FT
TOTAL WEIGHT(KG)	28000